

Subject: Syntax and edits to implement decisions in 00-155 concerning ALLOCATABLE  
 From: Van Snyder  
 References: 00-155

## 1 Introduction

In paper 00-155, Malcolm provided alternative syntaxes to implement the capability to specify the type of object to be allocated by reference to another object. There was a straw vote, and the syntax “SOURCE = *source-variable*” won. This paper provides edits, as outlined in 00-155 but updated to reflect the result of the straw vote and to refer to 00-007r1.

## 2 Edits

Edits refer to 00-007r1. Page and line numbers are displayed in the margin. Absent other instructions, a page and line number or line number range implies all of the indicated text is to be replaced by immediately following text, while a page and line number followed by + indicates that immediately following text is to be inserted after the indicated line. Remarks for the editor are noted in the margin, or appear between [ and ] in the text.

	<b>or</b> SOURCE = <i>source-variable</i>	102:15+
R631a <i>source-variable</i>	<b>is</b> <i>variable</i>	102:23+
Constraint: If SOURCE= is specified, <i>type-spec</i> shall not be specified, <i>allocation-list</i> shall contain only one <i>allocate-object</i> , which shall be type compatible (5.1.1.8) with <i>source-variable</i> .		102:38+
Constraint: The <i>source-variable</i> shall be a scalar or have the same rank as the <i>allocate-object</i> .		
Constraint: Corresponding kind type parameters of <i>allocate-object</i> and <i>source-variable</i> shall have the same values.		
[Editor: After “;” insert “if a <i>source-variable</i> is specified, the allocation allocates an object whose dynamic type and type parameters are the same as those of the <i>source-variable</i> ;”]		103:6
If SOURCE= is present, <i>source-variable</i> shall be conformable (2.4.5) with the <i>allocation</i> . If the value of a nondeferred nonkind type parameter of <i>allocate-object</i> is different from the value of the corresponding type parameter of <i>source-variable</i> , an error condition occurs. If the allocation is successful, <i>source-variable</i> is then assigned to <i>allocate-object</i> as if by intrinsic assignment for objects whose declared type is the dynamic type of <i>source-variable</i> .		103:25+

### J3 internal note

Unresolved issue xxx  
 ALLOCATE(... SOURCE=... ) begs for an example.