12 January 2007 J3/07-112

Subject: Repair CO_UBOUND (UTI 105)

From: Van Snyder

1 Introduction

2 The CO_UBOUND intrinsic function can't inquire about the final upper bound of a co-array. It should

3 be able to do so.

4 2 Edits

- 5 Edits refer to 07-007. Page and line numbers are displayed in the margin. Absent other instructions, a
- 6 page and line number or line number range implies all of the indicated text is to be replaced by associated
- 7 text, while a page and line number followed by + (-) indicates that associated text is to be inserted after
- 8 (before) the indicated line. Remarks are noted in the margin, or appear between [and] in the text.

9	[Editor: Delete "of co-rank greater than one".]	368:5-6
10	[Editor: Delete "and one".]	368:9
11	[Editor: " $n-1$ " \Rightarrow " n ".]	368:10
12	[Editor: Delete UTI 105.]	368:10+
13	[Editor: " $n-1$ " \Rightarrow " n ".]	369:4
14	[Editor: " $n-1$ " \Rightarrow " n ".]	369:10
		- 369:11+

NOTE $13.5\frac{1}{2}$

The value of CO_UBOUND(CO_ARRAY,n) is CO_LBOUND(CO_ARRAY,n) + CEILING(REAL(NUM_IMAGES())/PRODUCT([(CO_UBOUND(CO_ARRAY,I) - CO_LBOUND(CO_ARRAY,I)+1,I=1,n-1)]))-1. If NUM_IMAGES() < PRODUCT([(CO_UBOUND(CO_ARRAY,I) - CO_LBOUND(CO_ARRAY,I)+1,I=1,n)]) it is not possible for all co-subscripts simultaneously to have their upper-bound values.

- 15 [Editor: Replace "is" by "has the value" twice. Then append another example: "If B is allocated by 369:13
- 16 the statement ALLOCATE (B [*]) then CO_UBOUND(B) has the value [NUM_IMAGES()] and
- 17 CO_UBOUND(B,DIM=1) has the value NUM_IMAGES()."]

12 January 2007 Page 1 of 1