7 May 2007 J3/07-187r1

Subject: Comments on Clause 4

From: Van Snyder

1 Edits

2 3 4 5	Edits refer to 07-007r1. Page and line numbers are displayed in the margin. Absent other instructions, a page and line number or line number range implies all of the indicated text is to be replaced by associated text, while a page and line number followed by $+$ (-) indicates that associated text is to be inserted after (before) the indicated line. Remarks are noted in the margin, or appear between [and] in the text.	
6	[Editor: Replaced "given a name" by "named".]	45:19
7 8 9	A structure constructor (4.5.10) that is an initialization expression (7.1.12) denotes a scalar constant value of derived type. An array constructor (4.7) that is an initialization expression denotes a constant array value of intrinsic or derived type.	45:20-22
10	[Editor: After doing the previous two edits, reorder the paragraphs as 2, 1, 4, 3.]	45:17-22
11	[Editor: Replace "with" by "by".]	46:11
12	[Editor: Delete "The".]	47:33
13 14	[Editor: Delete Note 4.6; this seems like a weird place to quote C611, since there's nothing else here about components.]	49:6+1-3
15	[Editor: Add the list to Annex E.]	54:17-22
16	[Editor: Join the constraints: Replace "type. (R430) If SEQUENCE appears" by "type, and".]	61:3-5
17	[Editor: Insert "of type" before "default".]	63:14
18	[Editor: Insert a right parenthesis after "7".]	64:5
19 20	[The constraint doesn't constrain anything, since it explicitly allows exactly everything the syntax allows. Editor: Delete C443.]	65:12-14
21	[Editor: Repair typesetting mistake: insert \ before "si" to make it a macro instead of plain text.]	65:24
22	[Editor: Replace "the POINTER attribute" by "POINTER attributes".]	65:28
23	[Editor: Insert "scalar" before "values". See the edit for [45:20-22].]	79:19
24	[Editor: Replace "nonprocedure" by "data" (which is the term used in R441).]	80:4

7 May 2007 Page 1 of 1