

WORKING DRAFT

11-176

9th June 2011 15:56

This is an internal working document of J3.

Contents

1	Overview	1
1.1	Scope	1
1.2	Normative references	1
1.3	Terms and definitions	1
1.4	Compatibility	1
1.4.1	New intrinsic procedures	1
1.4.2	Fortran 2008 compatibility	1
2	Execution control	3
2.1	Image control statements	3
2.1.1	Segments	3
2.2	SYNC TEAM statement	3
2.3	NOTIFY and QUERY statements	5
3	Input/output statements	7
3.1	OPEN statement	7
3.1.1	TEAM= specifier in the OPEN statement	7
3.2	CLOSE statement	7
3.3	File positioning statements	8
3.4	FLUSH statement	8
3.5	File inquiry statement	8
3.5.1	NEXTREC= specifier in the INQUIRE statement	8
3.5.2	TEAM= specifier in the INQUIRE statement	8
3.6	Error conditions and the ERR= specifier	8
3.7	IOSTAT= specifier	8
4	Intrinsic procedures	9
4.1	Specification of the standard intrinsic procedures	9
4.1.1	Collective subroutine	9
4.1.2	Arguments to collective subroutines	9
4.2	Standard generic intrinsic procedures	9
4.3	Specifications of the standard intrinsic procedures	10
4.4	The ISO_FORTRAN_ENV intrinsic module	15
4.4.1	General	15
4.4.2	IMAGE_TEAM	15
Annex A	(informative) Extended notes	17
A.1	Notes re Clause 2 of ISO/IEC 1539-1:2010	17
A.1.1	Normal and error termination of execution	17
A.2	Notes re Clause 13 of ISO/IEC 1539-1:2010	18
A.2.1	Collective coarray subroutine variations	18

Foreword

- 1 ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and nongovernmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2 International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.
- 3 The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 4 Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.
- 5 ISO/IEC TR 29113:2010(E) was prepared by Joint Technical Committee ISO/IEC/JTC1, *Information technology, Subcommittee SC22, Programming languages, their environments and system software interfaces*.
- 6 This technical report specifies an enhancement of the parallel processing facilities of the programming language Fortran. Fortran is specified by the International Standard ISO/IEC 1539-1:2010.
- 7 It is the intention of ISO/IEC JTC1/SC22/WG5 that the semantics and syntax specified by this technical report be included in the next revision of the Fortran International Standard without change unless experience in the implementation and use of this feature identifies errors that need to be corrected, or changes are needed to achieve proper integration, in which case every reasonable effort will be made to minimize the impact of such changes on existing implementations.

Introduction

Technical Report on Enhanced Parallel Computing Facilities

- 1 Fortran, as standardized by ISO/IEC 1539-1:2010, provides core facilities for parallel programming with coarrays. A Fortran program containing coarrays is interpreted as if it were replicated a fixed number of times and all copies were executed asynchronously. Each copy has its own set of data objects and is called an image.
- 2 ISO/IEC TR xxxxx extends these core facilities with
 - features in support of teams of images collaborating independently of other images;
 - collective intrinsic procedures, which are invoked on a team of images and act collaboratively;
 - the image control statements NOTIFY and QUERY for more detailed control of the collaborative actions of the images; and
 - input/output facilities for files connected on more than one image.
- 3 The facility specified in ISO/IEC TR xxxxx is a compatible extension of Fortran as standardized by ISO/IEC 1539-1:2010.
- 4 ISO/IEC TR xxxxx is organized in clauses that relate to clauses of ISO/IEC 1539-1:2010 with the same names, viz :

Overview	Clause 1
Execution control	Clause 8
Input/output statements	Clause 9
Procedures	Clause 12
Intrinsic procedures and modules	Clause 13

- 5 It also contains the following nonnormative material:

Extended notes	Annex C
----------------	---------

Technical Report — Enhanced Parallel Computing

Facilities —

1 Overview

1.1 Scope

- 1 ISO/IEC TR xxxxx specifies the form and establishes the interpretation of facilities that extend the Fortran language defined by ISO/IEC 1539-1:2010.

1.2 Normative references

- 1 The following referenced standard is indispensable for the application of this document.
- 2 ISO/IEC 1539-1:2010, *Information technology—Programming languages—Fortran*

1.3 Terms and definitions

- 1 For the purposes of this document, the following terms and definitions apply in addition to those defined in ISO/IEC 1539-1:2010.

1.3.1

collective subroutine

intrinsic subroutine that is invoked on a team of **images** to perform a calculation on those **images** and assign the value of the result on all of them (4.1.1)

1.3.2

connect team

team of **images** that can reference an **external unit**

1.3.3

team

set of **images** identified by a scalar **data object** of type IMAGE_TEAM (4.4.2)

1.3.4

team synchronization

synchronization of the **images** in a **team** (2.2)

1.4 Compatibility

1.4.1 New intrinsic procedures

- 1 ISO/IEC TR xxxxx defines intrinsic procedures in addition to those specified in ISO/IEC 1539-1:2010. Therefore, a Fortran program conforming to ISO/IEC 1539-1:2010 might have a different interpretation under ISO/IEC TR xxxxx if it invokes an external procedure having the same name as one of the new intrinsic procedures, unless that procedure is specified to have the EXTERNAL attribute.

1.4.2 Fortran 2008 compatibility

- 1 ISO/IEC TR xxxxx is an upwardly compatible extension to ISO/IEC 1539-1:2010.

2 Execution control

2.1 Image control statements

1 Each of the following is an additional [image control statement](#):

- 4 • SYNC TEAM;
- 5 • NOTIFY;
- 6 • QUERY;
- 7 • OPEN for a file that is being opened on more than one [image](#);
- 8 • CLOSE for a file that is open on more than one [image](#);
- 9 • CALL for a [collective subroutine](#) (4.1.1) or FORM_TEAM (4.3.11) .

10 2 During an execution of a statement that invokes more than one procedure, more than one invocation might cause
11 execution of a CLOSE statement for a file with a [connect team](#) of only one [image](#).

2.1.1 Segments

13 1 If an [image](#) P writes a record during the execution of segment P_i to a file that is opened for direct access with a
14 TEAM= specifier, no other [image](#) Q shall read or write the record during execution of a segment that is unordered
15 with P_i . Furthermore, it shall not read the record in a segment that succeeds P_i unless

- 16 • after [image](#) P writes the record, it executes a FLUSH statement for the file during the execution of a segment
17 P_k , where $k \geq i$, and
- 18 • before [image](#) Q reads the record, it executes a FLUSH for the file during the execution of a segment Q_j that
19 succeeds P_k .

NOTE 2.1

The incorrect sequencing of [image control statements](#) can suspend execution indefinitely. For example, one [image](#) might be executing a blocking QUERY for which an [image](#) in its [image](#) set never executes the corresponding NOTIFY.

2.2 SYNC TEAM statement

R201 *sync-team-stmt* is SYNC TEAM (*image-team* [, *sync-stat-list*])

R202 *image-team* is *scalar-variable*

1 C201 The *image-team* shall be a scalar variable of type IMAGE_TEAM from
21 the intrinsic module ISO_FORTRAN_ENV.

22 2 Execution of a SYNC TEAM statement performs a [team synchronization](#), which is a synchronization of the
23 [images](#) in a team. The team is specified by the value of *image-team* and shall include the executing [image](#). All
24 [images](#) of the team shall execute a SYNC TEAM statement with a value of *image-team* that was constructed
25 by corresponding invocations of the intrinsic subroutine FORM_TEAM for the team. They do not commence
26 executing subsequent statements until all [images](#) in the team have executed a SYNC TEAM statement for the
27 team an equal number of times since FORM_TEAM was invoked for the team. If [images](#) M and T are any two
28 members of the team, the segments that execute before the statement on [image](#) M precede the segments that
29 execute after the statement on [image](#) T.

30 3 Execution of an OPEN with a TEAM= specifier, a CLOSE for a [unit](#) whose [connect team](#) consists of more than one
31 [image](#), or a CALL for a [collective subroutine](#) is interpreted as if an execution of a SYNC TEAM statement for the

1 team occurred at the beginning and end of execution of the statement. If the statement contains an *image-team*,
 2 it specifies the team and shall satisfy the conditions required of an *image-team* in a SYNC TEAM statement;
 3 otherwise, the team is the connect team for the *unit* in a CLOSE statement or the set of all *images* for a CALL
 4 to a *collective subroutine*.

NOTE 2.2

Execution of the intrinsic subroutine `FORM_TEAM` also performs a *team synchronization*.

NOTE 2.3

In this example the *images* are divided into two teams, one for an ocean calculation and one for an atmosphere calculation.

```

USE, INTRINSIC :: ISO_FORTRAN_ENV
TYPE(IMAGE_TEAM) :: TEAM
INTEGER :: N2, STEP, NSTEPS
LOGICAL :: OCEAN

N2 = NUM_IMAGES()/2
OCEAN = (THIS_IMAGE()<=N2)
IF (OCEAN) THEN
  CALL FORM_TEAM (TEAM, [ (I, I=1,N2) ] )
ELSE
  CALL FORM_TEAM (TEAM, [ (I, I=N2+1,NUM_IMAGES()) ] )
END IF
: ! Initial calculation
SYNC ALL
DO STEP = 1, NSTEPS
  IF (OCEAN) THEN
    DO
      : ! Ocean calculation
      SYNC TEAM (TEAM)
      IF ( ... ) EXIT ! Ready to swap data
    END DO
  ELSE
    DO
      : ! Atmosphere calculation
      SYNC TEAM (TEAM)
      IF ( ... ) EXIT ! Ready to swap data
    END DO
  END IF
  SYNC ALL
  : ! Swap data
END DO

```

In the inner loops, each set of *images* first works entirely with its own data and each *image* synchronizes with the rest of its team. The number of synchronizations for the ocean team might differ from the number for the atmosphere team. The SYNC ALL that follows is needed to ensure that both teams have done their calculations before data are swapped.

2.3 NOTIFY and QUERY statements

R203 *notify-stmt* is NOTIFY (*image-set* [, *sync-stat-list*])
 R204 *query-stmt* is QUERY (*image-set* [, *query-spec-list*])
 1 R205 *query-spec* is READY = *scalar-logical-variable*
 or *sync-stat*

2 C202 (R204) No specifier shall appear more than once in a given *query-spec-list*.

3 2 Execution on *image* M of a NOTIFY statement with a different *image* T in its *image-set* increments by 1 a record
 4 of the number of times, $N_{M \rightarrow T}$, *image* M executed such a NOTIFY statement.

5 3 A QUERY statement is blocking if and only if it has no READY= specifier. A QUERY statement is satisfied on
 6 completion of its execution if and only if it is a blocking QUERY statement or it set the variable specified by its
 7 READY= specifier to true.

8 4 Let $Q_{M \leftarrow T}$ denote the number of times *image* M has completed the execution of a satisfied QUERY statement
 9 with a different *image* T in its *image* set. Completion of execution on *image* M of a blocking QUERY statement
 10 is delayed until, for each different T in its *image* set, $N_{T \rightarrow M} > Q_{M \leftarrow T}$.

11 5 Execution of a non-blocking QUERY statement on *image* M causes the *scalar-logical-variable* of its READY=
 12 specifier to be assigned the value false if, for a different *image* T in the *image* set, $N_{T \rightarrow M} \leq Q_{M \leftarrow T}$; otherwise,
 13 true is assigned.

14 6 A NOTIFY statement execution on *image* T and a satisfied QUERY statement execution on *image* M correspond
 15 if and only if

- the NOTIFY statement's *image* set includes *image* M,
- the QUERY statement's *image* set includes *image* T, and
- after execution of both statements has completed, $N_{T \rightarrow M} = Q_{M \leftarrow T}$.

19 7 Segments on an *image* executed before the execution of a NOTIFY statement precede the segments on other
 20 *images* that follow execution of its corresponding QUERY statements.

NOTE 2.4

The NOTIFY and QUERY statements can be used to order statement executions between a producer and consumer *image*.

```

INTEGER,PARAMETER :: PRODUCER = 1, CONSUMER = 2
INTEGER :: VALUE[*]
LOGICAL :: READY

SELECT CASE (THIS_IMAGE())
CASE (PRODUCER)
  VALUE[CONSUMER] = 3
  NOTIFY (CONSUMER)
CASE (CONSUMER)
  WaitLoop: DO
    QUERY (PRODUCER,READY=READY)
    IF (READY) EXIT WaitLoop
    ! Statements neither referencing VALUE[CONSUMER], nor causing it to
    ! become defined or undefined
  END DO WaitLoop
  ! references to VALUE
CASE DEFAULT
  ! Statements neither referencing VALUE[CONSUMER], nor causing it to
  ! become defined or undefined

```

NOTE 2.4 (cont.)

```
END SELECT
```

Unlike SYNC IMAGES statements, the number of notifications and corresponding queries may be unequal. A program can complete with an excess number of notifies.

NOTE 2.5

NOTIFY/QUERY pairs can be used in place of SYNC ALL and SYNC IMAGES to achieve better load balancing and allow one [image](#) to proceed with calculations while another [image](#) is catching up. For example,

```
IF (THIS_IMAGE()==1) THEN
  DO I=1,100
    ...      ! Primary processing of column I
    NOTIFY(2) ! Done with column I
  END DO
  SYNC IMAGES(2)
ELSE IF (THIS_IMAGE()==2) THEN
  DO I=1,100
    QUERY(1) ! Wait until image 1 is done with column I
    ...      ! Secondary processing of column I
  END DO
  SYNC IMAGES(1)
END IF
```

3 Input/output statements

3.1 OPEN statement

3.1.1 TEAM= specifier in the OPEN statement

- 1 The OPEN statement has the additional specifier TEAM= *image-team*. The *image-team* specifies the *connect team* for the *unit*. If there is no TEAM= specifier, the *connect team* consists of only the executing *image*.
- 2 A named file that is opened with the TEAM= specifier is opened using the same name on each *image* of the team.
- 3 If the file is already connected on the image and the previous *connect team* has more than one *image*, the new *connect team* shall be the same.
- 4 Each record shall be read or written by a single *image*. The processor shall ensure that once an *image* commences transferring the data of a record to the file, no other *image* transfers data to the file until the whole record has been transferred.
- 5 If no error occurs during the execution of the OPEN statement with a NEWUNIT= specifier, the variable is defined with a processor determined NEWUNIT value that is the same on all *images* in the *connect team*.
- 6 All *images* in the *connect team* shall execute the same OPEN statement with identical values for the *connect-specs*, except for ERR=, IOMSG=, IOSTAT=, NEWUNIT=, and TEAM=. There is an implicit *team synchronization* (2.2).
- 7 If the OPEN statement has a STATUS= specifier with the value SCRATCH, the processor shall connect the same file to the *unit* on all *images* in the *connect team*.
- 8 If the *connect team* contains more than one *image*, the OPEN statement shall
 - specify direct access or
 - specify sequential access and have an ACTION= specifier that evaluates to WRITE.

NOTE 3.1

Writing to a sequential file from more than one *image* without using synchronization is permitted, but is only useful for situations in which the ordering of records is unimportant. An example is for diagnostic output that is labeled with the *image index*.

- 9 A *unit* that is neither *connected* nor *preconnected* has an empty *connect team*.
- 10 The *units* identified by the values OUTPUT_UNIT and ERROR_UNIT in the intrinsic module ISO_FORTRAN_ENV are *preconnected* on all *images*. The *unit* identified by the value INPUT_UNIT in the intrinsic module ISO_FORTRAN_ENV is *preconnected* on *image* 1 and is not *preconnected* on other *images*. All other *preconnected units* have a *connect team* consisting of the executing *image*.

3.2 CLOSE statement

- 1 If an *image* executes a CLOSE statement, all *images* in the *connect team* of the *unit* specified shall execute a CLOSE statement for the *unit* with the same disposition. There is an implicit *team synchronization* associated with the execution of a CLOSE statement for a *unit* with a *connect team* that has more than one *image* (2.2).

- 1 2 During the completion step of termination of execution of a program, all [units](#) that are [connected](#) are closed.

NOTE 3.2

The effect is as though a CLOSE statement without a STATUS= specifier were executed on each [connected unit](#), but without [team synchronization](#) for [units](#) with a [connect team](#) of more than one [image](#).

2 3.3 File positioning statements

- 3 1 A [unit](#) whose [connect team](#) has more than one [image](#) shall not be referred to by a BACKSPACE, ENDFILE, or
4 REWIND statement.

5 3.4 FLUSH statement

- 6 1 The FLUSH statement has the additional specifier TEAM= [image-team](#).
7 2 Execution of a FLUSH statement causes data written to an [external unit](#) to be made available to other [images](#)
8 of the [unit](#)'s [connect team](#) which execute a FLUSH statement in a subsequent segment for that [unit](#).

9 3.5 File inquiry statement

10 3.5.1 NEXTREC= specifier in the INQUIRE statement

- 11 1 The [scalar-int-variable](#) in the NEXTREC= specifier is assigned the value $n + 1$, where n is the record number of
12 the last record read from or written to the connection for direct access by the executing [image](#).

13 3.5.2 TEAM= specifier in the INQUIRE statement

- 14 1 The INQUIRE statement has the additional specifier TEAM= [image-team](#).
15 2 The [image-team](#) in the TEAM= specifier is assigned the value of the connect team if the file or [unit](#) is connected;
16 otherwise it is assigned a value that identifies an empty [image](#) set.

NOTE 3.3

The indices of the [images](#) in a team may be obtained by using TEAM_IMAGES (4.3.12).

17 3.6 Error conditions and the ERR= specifier

- 18 1 If an error condition occurs during execution of an OPEN or CLOSE statement on any of the [images](#) in the
19 [connect team](#), an error condition occurs on all [images](#) in the [connect team](#).

20 3.7 IOSTAT= specifier

- 21 1 Execution of an input/output statement containing the IOSTAT= specifier causes the [scalar-int-variable](#) in the
22 IOSTAT= specifier to become defined with the processor-dependent positive integer value of the constant STAT_-
23 STOPPED_IMAGE if the operation involves a team with more than one [image](#) and at least one of the [images](#) of
24 the team initiates termination of execution.

4 Intrinsic procedures

4.1 Specification of the standard intrinsic procedures

4.1.1 Collective subroutine

- 1 A **collective subroutine** is one that is invoked on a team of **images** to perform a calculation on those **images** and which assigns the value of the result on all of them. If it is invoked by one **image** of a team, it shall be invoked by the same statement on all **images** of the team. There is an implicit **team synchronization** (2.2) at the beginning and end of the execution of a **collective subroutine**.

4.1.2 Arguments to collective subroutines

- 1 Each **actual argument** to a collective subroutine shall have the same bounds, **cobounds**, and type parameters as the corresponding **actual argument** on any other **image** of the team. Each **actual argument** corresponding to an **INTENT (IN)** argument of type **IMAGE_TEAM** shall have a value constructed by an invocation of **FORM_TEAM** for the team on that **image**.
- 2 On any two **images** of the team, the **ultimate arguments** for the first **coarray dummy argument** shall be corresponding **coarrays** as described in 2.4.7 of ISO/IEC 1539-1:2010, and the **ultimate arguments** of the **RESULT dummy argument** shall be corresponding **coarrays**.

4.2 Standard generic intrinsic procedures

- 1 In the Class column of Table 4.1,
 C indicates that the procedure is a **collective subroutine**,
 T indicates that the procedure is a **transformational function**.

Table 4.1: **Standard generic intrinsic procedure summary**

Procedure	Arguments	Class	Description
CO_ALL	(MASK, RESULT [, TEAM])	C	Determine whether all corresponding elements of MASK are true on a team of images .
CO_ANY	(MASK, RESULT [, TEAM])	C	Determine whether any corresponding element of MASK is true on a team of images .
CO_COUNT	(MASK, RESULT [, TEAM])	C	Count the numbers of true elements on a team of images .
CO_FINDLOC	(SOURCE, VALUE, RESULT, TEAM [, BACK]) or (SOURCE, VALUE, RESULT [, BACK])	C	Determine the image index image indices of the first or last image , in image index order, having a value that matches VALUE, on a team of images .
CO_MAXLOC	(SOURCE, RESULT [, TEAM])	C	Determine the image indices of the maximum values of the elements on a team of images .
CO_MAXVAL	(SOURCE, RESULT [, TEAM])	C	Determine the maximum values of the elements on a team of images .
CO_MINLOC	(SOURCE, RESULT [, TEAM])	C	Determine the image indices of the minimum values of the elements on a team of images .

Table 4.1: Standard generic intrinsic procedure summary (cont.)

Procedure	Arguments	Class	Description
CO_MINVAL	(SOURCE, RESULT [, TEAM])	C	Determine the minimum values of the elements on a team of images .
CO_PRODUCT	(SOURCE, RESULT [, TEAM])	C	Compute the products of elements on a team of images .
CO_SUM	(SOURCE, RESULT [, TEAM])	C	Sum elements on a team of images .
FORM_TEAM	(TEAM, IMAGES [, STAT, ERRMSG])	S	Form a team of images .
TEAM_IMAGES	(TEAM)	T	Rank one array of the indices of the images in a team.

1 4.3 Specifications of the standard intrinsic procedures

2 4.3.1 CO_ALL (MASK, RESULT [, TEAM])

3 1 **Description.** Determine whether all corresponding elements of MASK are true on a team of [images](#).

4 2 **Class.** [Collective subroutine](#).

5 3 **Arguments.**

6 MASK shall be a [coarray](#) of type logical. It may be a scalar or an array. It is an [INTENT \(IN\)](#) argument.

7 RESULT shall be a [coarray](#) of type logical and shall have the same shape as MASK. It is an [INTENT \(OUT\)](#)
8 argument. If it is scalar, it is assigned the value true if the value of MASK is true on all the [images](#)
9 of the team, and the value false otherwise. If it is an array, each element is assigned the value true
10 if all corresponding elements of MASK are true on all the [images](#) of the team, and the value false
11 otherwise.

12 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
13 the team for which CO_ALL is performed. If TEAM is not present, the team consists of all [images](#).

14 4 **Example.** If the number of [images](#) is two and MASK is the array [true, false, true] on one [image](#) and
15 [true, true, true] on the other [image](#), the value of RESULT after executing the statement CALL CO_ALL (MASK, RES-
16 ULT) is [true, false, true].

17 4.3.2 CO_ANY (MASK, RESULT [, TEAM])

18 1 **Description.** Determine whether any corresponding element of MASK is true on a team of [images](#).

19 2 **Class.** [Collective subroutine](#).

20 3 **Arguments.**

21 MASK shall be a [coarray](#) of type logical. It may be a scalar or an array. It is an [INTENT \(IN\)](#) argument.

22 RESULT shall be a [coarray](#) of type logical and shall have the same shape as MASK. It is an [INTENT \(OUT\)](#)
23 argument. If it is scalar it is assigned the value true if any value of MASK is true on any [image](#) of
24 the team, and false otherwise. If it is an array, each element is assigned the value true if any of the
25 corresponding elements of MASK are true on any [image](#) of the team, and false otherwise.

26 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
27 the team for which CO_ANY is performed. If TEAM is not present, the team consists of all [images](#).

28 4 **Example.** If the number of [images](#) is two and MASK is the array [true, false, false] on one [image](#) and
29 [true, true, false] on the other [image](#), the value of RESULT after executing the statement CALL CO_ANY (MASK,

1 RESULT) is [true, true, false].

2 4.3.3 CO_COUNT (MASK, RESULT [, TEAM])

3 1 **Description.** Count the numbers of true elements on a team of [images](#).

4 2 **Class.** [Collective subroutine](#).

5 3 **Arguments.**

6 MASK shall be a [coarray](#) of type logical. It may be a scalar or an array. It is an [INTENT \(IN\)](#) argument.
 7 RESULT shall be a [coarray](#) of type integer and shall have the same shape as MASK. It is an [INTENT \(OUT\)](#)
 8 argument. If it is scalar, it is assigned a value equal to the number of [images](#) of the team for which
 9 MASK has the value true. If it is an array, each element is assigned a value equal to the number of
 10 corresponding elements of MASK on the [images](#) of the team that have the value true.

11 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
 12 the team for which CO_COUNT is performed. If TEAM is not present, the team consists of all
 13 [images](#).

14 4 **Example.** If the number of [images](#) is two and MASK is the array [true, false, false] on one [image](#) and
 15 [true, true, false] on the other [image](#), the value of RESULT after executing the statement
 16 CALL CO_COUNT (MASK, RESULT) is [2, 1, 0].

17 4.3.4 CO_FINDLOC (SOURCE, VALUE, RESULT, TEAM [, BACK]) or CO_FINDLOC (SOURCE, VALUE, RESULT [, BACK])

18 1 **Description.** Determine the [image indices](#) of the first or last [image](#), in [image index](#) order, having a value that
 19 matches VALUE, on a team of [images](#).

20 2 **Class.** [Collective subroutine](#).

21 3 **Arguments.**

22 SOURCE shall be a [coarray](#) of intrinsic type. It may be a scalar or an array. It is an [INTENT \(IN\)](#) argument.
 23 VALUE shall be scalar and in type conformance with ARRAY, as specified in Table 7.3 of ISO/IEC 1539-
 24 1:2010 for relational intrinsic operations. It is an [INTENT \(IN\)](#) argument.

25 RESULT shall be a [coarray](#) of type integer and shall have the same shape as SOURCE. It is an [INTENT](#)
 26 [\(OUT\)](#) argument.

27 *Case (i):* RESULT is scalar. It is assigned the [image index](#) of an [image](#) of the team whose value
 28 of SOURCE matches VALUE, or zero if no such [image](#) exists.

29 *Case (ii):* RESULT is an array. Each element is assigned the [image index](#) of an [image](#) of the
 30 team whose corresponding element of SOURCE matches VALUE, or zero if no such
 31 [image](#) exists.

32 If both SOURCE and VALUE are of type logical, the comparison is performed using `.EQV.`; other-
 33 wise, the comparison is performed using `==` (`.EQ.`). If the value of the comparison is true, SOURCE
 34 or the element of SOURCE matches VALUE.

35 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
 36 the team for which CO_FINDLOC is performed. If TEAM does not appear, the team consists of
 37 all [images](#).

38 BACK (optional) shall be a logical scalar. It is an [INTENT \(IN\)](#) argument.

39 If more than one [image](#) has a value that matches VALUE, and BACK is absent or present with
 40 the value false, the smallest such [image index](#) is assigned to RESULT. If BACK is present with the
 41 value true, the [image](#) whose [index](#) is assigned to RESULT is the largest such [image index](#).

42 4 **Examples.** If the number of [images](#) is four and SOURCE is a scalar with the values 2, 4, 6, and 8 on the four
 43 different [images](#), the value of RESULT after the statement CALL CO_FINDLOC (SOURCE, 6, RESULT) is 3

1 on all [images](#).

2 5 If the number of [images](#) is two and SOURCE is the array [6, 5, 6] on the first [image](#) and [4, 6, 6] on the second
3 [image](#), the value of RESULT after the statement CALL CO_FINDLOC (SOURCE, 6, RESULT) is [1, 2, 1] and
4 the value after the statement CALL CO_FINDLOC (SOURCE, 6, RESULT, .TRUE.) is [1, 2, 2].

5 4.3.5 CO_MAXLOC (SOURCE, RESULT [, TEAM])

6 1 **Description.** Determine the [image indices](#) of the maximum values of the elements on a team of [images](#).

7 2 **Class.** [Collective subroutine](#).

8 3 **Arguments.**

9 SOURCE shall be a [coarray](#) of type integer, real, or character. It may be a scalar or an array. It is an [INTENT](#)
10 [\(IN\)](#) argument.

11 RESULT shall be a [coarray](#) of type integer and shall have the same shape as SOURCE. It is an [INTENT](#)
12 [\(OUT\)](#) argument. If it is scalar, it is assigned a value equal to the [image index](#) of the maximum
13 value of SOURCE on the [images](#) of the team; if more than one [image](#) has the maximum value, the
14 smallest such [image index](#) is assigned. If RESULT is an array, each element of RESULT is assigned a
15 value equal to the [image index](#) of the maximum value of all the corresponding elements of SOURCE
16 on the [images](#) of the team; if more than one [image](#) has the maximum value, the smallest such [image](#)
17 [index](#) is assigned.

18 If SOURCE is of type character, the result is the value that would be selected by application
19 of intrinsic relational operators; that is, the [collating sequence](#) for characters with the kind type
20 parameter of the argument is applied.

21 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
22 the team for which CO_MAXLOC is performed. If TEAM is not present, the team consists of all
23 [images](#).

24 4 **Example.** If the number of [images](#) is two and SOURCE is the array [1, 5, 6] on one [image](#) and [4, 1, 6] on the
25 other [image](#), the value of RESULT after executing the statement
26 CALL CO_MAXLOC (SOURCE, RESULT) is [2, 1, 1].

27 4.3.6 CO_MAXVAL (SOURCE, RESULT [, TEAM])

28 1 **Description.** Determine the maximum values of the elements on a team of [images](#).

29 2 **Class.** [Collective subroutine](#).

30 3 **Arguments.**

31 SOURCE shall be a [coarray](#) of type integer, real, or character. It may be a scalar or an array. It is an [INTENT](#)
32 [\(IN\)](#) argument.

33 RESULT shall be a [coarray](#) of the same type, type parameters and shape as SOURCE. It is an [INTENT](#)
34 [\(OUT\)](#) argument. If it is scalar, it is assigned a value equal to the maximum value of SOURCE on
35 all the [images](#) of the team. If it is an array, each element is assigned a value equal to the maximum
36 value of all the corresponding elements of SOURCE on all the [images](#) of the team.

37 If SOURCE is of type character, the result is the value that would be selected by application
38 of intrinsic relational operators; that is, the [collating sequence](#) for characters with the kind type
39 parameter of the argument is applied.

40 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
41 the team for which CO_MAXVAL is performed. If TEAM is not present, the team consists of all
42 [images](#).

43 4 **Example.** If the number of [images](#) is two and SOURCE is the array [1, 5, 3] on one [image](#) and [4, 1, 6] on the
44 other [image](#), the value of RESULT after executing the statement

1 CALL CO_MAXVAL (SOURCE, RESULT) is [4, 5, 6].

2 4.3.7 CO_MINLOC (SOURCE, RESULT [, TEAM])

3 1 **Description.** Determine the [image indices](#) of the minimum values of the elements on a team of [images](#).

4 2 **Class.** [Collective subroutine](#).

5 3 **Arguments.**

6 SOURCE shall be a [coarray](#) of type integer, real, or character. It may be a scalar or an array. It is an [INTENT](#)
7 [\(IN\)](#) argument.

8 RESULT shall be a [coarray](#) of type integer and shall have the same shape as SOURCE. It is an [INTENT](#)
9 [\(OUT\)](#) argument. If it is scalar, it is assigned a value equal to the [image index](#) of the minimum
10 value of SOURCE on all the [images](#) of the team; if more than one [image](#) has the minimum value,
11 the smallest such [image index](#) is assigned. If it is an array, each element is assigned a value equal
12 to the [image index](#) of the minimum value of all the corresponding elements of SOURCE on the
13 [images](#) of the team; if more than one [image](#) has the minimum value, the smallest such [image index](#)
14 is assigned.

15 If SOURCE is of type character, the result is the value that would be selected by application
16 of intrinsic relational operators; that is, the [collating sequence](#) for characters with the kind type
17 parameter of the argument is applied.

18 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
19 the team for which CO_MINLOC is performed. If TEAM is not present, the team consists of all
20 [images](#).

21 4 **Example.** If the number of [images](#) is two and SOURCE is the array [1, 5, 6] on one [image](#) and [4, 1, 6] on the
22 other [image](#), the value of RESULT after executing the statement
23 CALL CO_MINLOC (ARRAY, RESULT) is [1, 2, 1].

24 4.3.8 CO_MINVAL (SOURCE, RESULT [, TEAM])

25 1 **Description.** Determine the minimum values of the elements on a team of [images](#).

26 2 **Class.** [Collective subroutine](#).

27 3 **Arguments.**

28 SOURCE shall be a [coarray](#) of type integer, real, or character. It may be a scalar or an array. It is an [INTENT](#)
29 [\(IN\)](#) argument.

30 RESULT shall be a [coarray](#) of the same type, type parameters, and shape as SOURCE. It is an [INTENT](#)
31 [\(OUT\)](#) argument. If it is scalar it is assigned a value equal to the minimum value of SOURCE on
32 all the [images](#) of the team. If it is an array, each element is assigned a value equal to the minimum
33 value of all the corresponding elements of SOURCE on all the [images](#) of the team.

34 If SOURCE is of type character, the result is the value that would be selected by application
35 of intrinsic relational operators; that is, the [collating sequence](#) for characters with the kind type
36 parameter of the argument is applied.

37 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies
38 the team for which CO_MINVAL is performed. If TEAM is not present, the team consists of all
39 [images](#).

40 4 **Example.** If the number of [images](#) is two and SOURCE is the array [1, 5, 3] on one [image](#) and [4, 1, 6] on the
41 other [image](#), the value of RESULT after executing the statement
42 CALL CO_MINVAL (SOURCE, RESULT) is [1, 1, 3].

43 4.3.9 CO_PRODUCT (SOURCE, RESULT [, TEAM])

1 **Description.** Compute the products of elements on a team of [images](#).

2 **Class.** [Collective subroutine](#).

3 **Arguments.**

4 SOURCE shall be a [coarray](#) of [numeric type](#). It may be a scalar or an array. It is an [INTENT \(IN\)](#) argument.

5 RESULT shall be a [coarray](#) of the same type, type parameters, and shape as SOURCE. It is an [INTENT \(OUT\)](#) argument. If it is scalar, it is assigned a value equal to a processor-dependent and image-dependent approximation to the product of the values of SOURCE on all the [images](#) of the team. If it is an array, each element is assigned a value equal to a processor-dependent and image-dependent approximation to the product of all the corresponding elements of SOURCE on the [images](#) of the team.

11 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies the team for which CO_PRODUCT is performed. If TEAM is not present, the team consists of all [images](#).

14 **Example.** If the number of [images](#) is two and SOURCE is the array [1, 5, 3] on one [image](#) and [4, 1, 6] on the other [image](#), the value of RESULT after executing the statement
16 CALL CO_PRODUCT (SOURCE, RESULT) is [4, 5, 18].

17 **4.3.10 CO_SUM (SOURCE, RESULT [, TEAM])**

18 **Description.** Sum elements on a team of [images](#).

19 **Class.** [Collective subroutine](#).

20 **Arguments.**

21 SOURCE shall be a [coarray](#) of [numeric type](#). It may be a scalar or an array. It is an [INTENT \(IN\)](#) argument.

22 RESULT shall be a [coarray](#) of the same type, type parameters, and shape as SOURCE. It is an [INTENT \(OUT\)](#) argument. If it is scalar, it is assigned a value equal to a processor-dependent and image-dependent approximation to the sum of the values of SOURCE on all the [images](#) of the team. If it is an array, each element is assigned a value equal to a processor-dependent and image-dependent approximation to the sum of all the corresponding elements of SOURCE on the [images](#) of the team.

27 TEAM (optional) shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(IN\)](#) argument that specifies the team for which CO_SUM is performed. If TEAM is not present, the team consists of all [images](#).

29 **Example.** If the number of [images](#) is two and SOURCE is the array [1, 5, 3] on one [image](#) and [4, 1, 6] on the other [image](#), the value of RESULT after executing the statement
31 CALL CO_SUM (SOURCE, RESULT) is [5, 6, 9].

32 **4.3.11 FORM_TEAM (TEAM, IMAGES [, STAT, ERRMSG])**

33 **Description.** Form a team of [images](#).

34 **Class.** Subroutine.

35 **Arguments.**

36 TEAM shall be a scalar of type [IMAGE_TEAM\(4.4.2\)](#). It is an [INTENT \(OUT\)](#) argument.

37 IMAGES shall be a rank-one integer array. It is an [INTENT \(IN\)](#) argument that specifies the [image indices](#) of the team members. An error condition occurs if

- 39 • IMAGES does not specify the same set of [images](#) on all [images](#) of the team,
- 40 • any element of IMAGES is not in the range 1, ..., [NUM_IMAGES \(\)](#),
- 41 • any element of IMAGES has the same value as another element, or
- 42 • no element of IMAGES has the value [THIS_IMAGE \(\)](#).

1 STAT (optional) shall be a default integer scalar. It is an **INTENT (OUT)** argument. If no error occurs it is
 2 assigned the value zero. If any of the **images** of the team has initiated termination of execution
 3 it is assigned the value of the constant `STAT_STOPPED_IMAGE` in the intrinsic module **ISO-**
 4 **FORTRAN_ENV**. If any other error occurs, it is assigned a processor-dependent positive value
 5 different from `STAT_STOPPED_IMAGE`.

6 **ERRMSG** (optional) shall be a default character scalar. It is an **INTENT (INOUT)** argument. If an error con-
 7 dition occurs, it is assigned a processor-dependent explanatory message; otherwise, it is unchanged.

8 4 If `FORM_TEAM` is invoked by an **image**, an error condition occurs if it is not invoked by the same statement on all
 9 **images** specified by the `IMAGES` argument. If no error condition occurs, there is an implicit **team synchronization**
 10 after the team is formed.

11 5 If an error condition occurs and `STAT` is not present, error termination of execution is initiated.

12 6 **Example.** The following code fragment splits **images** into two groups and implicitly synchronizes each of the
 13 teams if there are two or more **images**. If there is only one **image**, that **image** becomes the only team member.
 14 The members of the team may be specified in a different order on different **images**.

```

15 7      USE, INTRINSIC :: ISO_FORTRAN_ENV, ONLY: IMAGE_TEAM
16          INTEGER :: I
17          TYPE(IMAGE_TEAM) :: TEAM
18          IF (THIS_IMAGE() <= NUM_IMAGES()/2) THEN
19              CALL FORM_TEAM(TEAM, [(I, I=1, NUM_IMAGES()/2)])
20          ELSE
21              CALL FORM_TEAM(TEAM, [(I, I=NUM_IMAGES()/2+1, NUM_IMAGES())])
22          END IF

```

23 4.3.12 TEAM_IMAGES (TEAM)

24 1 **Description.** Rank one array of the **indices** of the **images** in a team.

25 2 **Class.** Transformational function.

26 3 **Argument.** `TEAM` shall be a scalar of type `IMAGE_TEAM(4.4.2)`.

27 4 **Result Characteristics.** The result is a default integer array of **rank** one and of size equal to the number of
 28 **images** in the team identified by `TEAM`.

29 5 **Result Value.** The result is a rank-one array whose element values are the **indices**, in increasing order, of the
 30 **images** in the team identified by `TEAM`.

31 6 **Examples.** If the value of `TEAM` was defined by the statement `CALL FORM_TEAM (TEAM, [4, 2, 1])` then
 32 `TEAM_IMAGES (TEAM)` has the value `[1, 2, 4]`. For a value of `TEAM` that identifies an empty **image** set, the
 33 result is an array of size zero.

34 4.4 The ISO_FORTRAN_ENV intrinsic module

35 4.4.1 General

36 1 ISO/IEC TR xxxxx defines an additional object in the `ISO_FORTRAN_ENV` intrinsic module.

37 4.4.2 IMAGE_TEAM

38 1 A scalar object of type `IMAGE_TEAM` identifies a team of **images**. This type is **extensible**, has only private
 39 components, has pointer components but no **allocatable** components, has no type parameters, and has default
 40 initialization to a value that identifies an empty **image** set.

NOTE 4.1

When values of type `IMAGE_TEAM` are constructed by calling the intrinsic subroutine `FORM_TEAM` on the `images` of a team, the processor may choose to store information in such values to speed later processing of team synchronizations and `collective subroutine` calls. This information is likely to vary between `images`. The standard treats the information as if held in pointer components in order that copying a value of type `IMAGE_TEAM` to another `image` causes its value on the other `image` to become undefined.

Annex A

(Informative)

Extended notes

A.1 Notes re Clause 2 of ISO/IEC 1539-1:2010

A.1.1 Normal and error termination of execution

- 1 This code fragment illustrates the use of STOP and ALL STOP in a climate model that uses two teams, one for the ocean and one for the atmosphere.
- 2 If something goes badly wrong in the atmosphere calculation, the whole model is invalid and a restart is impossible, so all `images` stop as soon as possible without trying to preserve any data.
- 3 If something goes slightly wrong with the atmosphere calculation, the `images` in the atmosphere team write their data to files and stop, but their data remain available to the ocean `images` which complete execution of the OCEAN subroutine. On return from the computation routines, if something went slightly wrong with the atmosphere calculation, the ocean `images` write data to files and stop, ready for a restart in a later run.

```

14 4  USE,INTRINSIC :: ISO_FORTRAN_ENV
15     TYPE(IMAGE_TEAM) :: OCEAN_TEAM, ATMOSPHERE_TEAM
16     INTEGER :: I, SYNC_STAT
17     :
18     ! Form two teams
19     CALL FORM_TEAM (OCEAN_TEAM, [I,I=1,NUM_IMAGES()/2])
20     CALL FORM_TEAM (ATMOSPHERE_TEAM, [I,I=1+NUM_IMAGES()/2,NUM_IMAGES()])
21     :
22     ! Perform independent calculations
23     IF (THIS_IMAGE() > NUM_IMAGES()/2) THEN
24         CALL ATMOSPHERE (ATMOSPHERE_TEAM)
25     ELSE
26         CALL OCEAN (OCEAN_TEAM)
27     END IF
28     ! Wait for both teams to finish
29     SYNC ALL (STAT=SYNC_STAT)
30     IF (SYNC_STAT == SYNC_STOPPED_IMAGE) THEN
31         : ! preserve data on file
32         STOP
33     END IF
34     CALL EXCHANGE_DATA ! Exchange data between teams
35     :
36     CONTAINS
37     SUBROUTINE ATMOSPHERE (TEAM)
38         TYPE(IMAGE_TEAM) :: TEAM
39         : ! Perform atmosphere calculation.
40         IF (...) THEN ! something has gone slightly wrong
41             : ! preserve data on file
42             STOP
43         END IF
44     :

```

```

1         IF (...) ALL STOP ! something has gone very badly wrong
2         :
3         SYNC TEAM (TEAM, STAT=SYNC_STAT))
4         IF (SYNC_STAT == SYNC_STOPPED_IMAGE) THEN
5             : ! remaining atmosphere images preserve data in a file
6             STOP
7         END IF
8     END SUBROUTINE ATMOSPHERE

```

9 A.2 Notes re Clause 13 of ISO/IEC 1539-1:2010

10 A.2.1 Collective coarray subroutine variations

11 1 For a scalar **coarray**, an intrinsic **collective subroutine** applies an operation to the values of all the corresponding
12 **coarrays** on a set of **images** and provides the result on all the **images** of the set in a scalar argument of **INTENT**
13 **(OUT)**. For a **coarray** that is an array, the operation is applied to each set of corresponding elements and the
14 result is provided on all the **images** in an array of the shape of the **coarray**.

15 2 Simple routines can be written to also apply the operation to the elements of the **coarray** on an image. Various
16 versions of a global sum can be programmed, for example:

```

17 3 MODULE global_sum_module
18     INTRINSIC, PRIVATE :: CO_SUM, SIZE, SUM
19     CONTAINS
20     REAL FUNCTION global_sum(array)
21         REAL,INTENT(IN) :: array(:,:)[*]
22         REAL,SAVE      :: temp[*]
23         temp = SUM(array)          ! Sum on the executing image
24         CALL CO_SUM(temp, global_sum)
25     END FUNCTION global_sum
26
27     REAL FUNCTION global_sum_mask(array, mask)
28         REAL,INTENT(IN)  :: array(:,:)[*]
29         LOGICAL,INTENT(IN) :: mask(:,:)
30         REAL,SAVE       :: temp[*]
31         temp = SUM(array, MASK=mask) ! Sum on the executing image
32         CALL CO_SUM(temp, global_sum_mask)
33     END FUNCTION global_sum_mask
34
35     FUNCTION global_sum_dim(array, dim)
36         REAL, INTENT(IN)  :: array(:,:)[*]
37         INTEGER, INTENT(IN) :: dim
38         REAL, ALLOCATABLE :: global_sum_dim(:)
39         REAL, ALLOCATABLE :: temp(:)[: ]
40         ALLOCATE (global_sum_dim(SIZE(array, 3-dim)))
41         ALLOCATE ( temp(SIZE(array, 3-dim))[*])
42         temp = SUM(array, dim)      ! Sum of the local part of the coarray.
43         CALL CO_SUM(temp, global_sum_dim)
44     END FUNCTION global_sum_dim
45 END MODULE global_sum_module

```