

1 **Replace ACHAR(10) with NEW_LINE Function**

2 To: J3
3 From: Craig Dedo
4 Date: April 1, 2003
5 Subject: Replace ACHAR(10) with NEW_LINE Function

6 This paper addresses UK MTC 6.

7 **Edits**

8 Edits refer to 02-007r3.

9 [24:15] Add, at the end of the sentence, “and a different character to be used as a newline
10 character”.

11 [24:18+] Add, at the end of the sentence, “and a different character to be used as a newline
12 character (13.7.81a)”.

13 [230:7] Change “reference ACHAR(10)” to “NEW_LINE”.

14 [230:11+] Change Note 10.16 to read:
15 Output field splitting by newline characters can occur only on those processors that can represent
16 the newline character in a formatted stream file.

17 [292:16+] Add:
18 NEW_LINE (A) End-of-record or newline character

19 [333:17+] Add:
20 **13.7.81a NEW_LINE (A)**
21 **Description.** Returns an end-of-record (newline) character.

22 **Class.** Inquiry function.

23 **Argument.** A shall be of type character. It may be a scalar or an array.

24 **Result Characteristics.** Character scalar of length one with the same kind type parameter as A.

25 **Result Value.**

26 *Case (i):* If KIND(A) is of the default character type, then the result is ACHAR(10).

27 *Case (ii):* If KIND(A) is of the ASCII character type or the ISO 10646 character type, then the
28 result is CHAR(10,KIND(A)).

29 *Case (iii):* Otherwise, the value is a processor-dependent character that represents a newline in
30 output to files connected for formatted stream output.

31 [382:9-] Add a note after Table 15.1.

32 **Note 15.2a**

33 The value of NEW_LINE (C_NEW_LINE) is C_NEW_LINE (13.7.81a).

34 **References**

35 02-007r3, Fortran 2000 Committee Draft

- 1 02-290r2, Proposed Technical Changes
- 2 03-121r1, Edits for UK Comments MTC3 to MTC6 (Various I/O Fixes)
- 3 [End of J3 / 03-167r1]